

Cleaning by Colors™



## Liquid Defoamer

Kills foam quickly and may be used in vacuum systems for carpet and upholstery cleaning equipment.

- Eliminates foam fast
- Biodegradable
- Neutral pH
- Efficient & Economical

For Industrial and Institutional Use Only.

**1 Gallon (128 oz./3.8 L)**  
**Reorder: LD-640**

Always vacuum thoroughly and test fibers for colorfastness before using.

Don't forget to treat problem stains as soon as possible for best results.

5

# Liquid Defoamer

## Directions

### Dilutions:

#### Carpet

Shake Well Before Use!

#### Portables

Pour 2 ounces directly into vacuum hose for every 5 gallons of recovery tank capacity.

#### Truck Mounts

12 ounces for every 25 gallons of recovery tank capacity.

#### Foam Extraction

Pour 2-6 ounces of Liquid Defoamer directly into recovery tank. Repeat after each recovery tank void.

## For Industrial and Institutional Use Only.

### First Aid:

For skin contact, wash with soap and water. For eye contact, remove contact lenses and flush with large quantities of cool, running water for at least 15 minutes. If Eye or Skin irritation develops and/or persists, seek medical attention. Do not take internally. If ingested, drink large quantities of water, seek medical attention. If inhaled: remove to fresh air, seek medical attention

**Ingredients:** Water, Alkyl Nonyl Phenol Ethoxylate, Sodium Xylene Sulfonate, Odor Counteractant, Ethanol

**Health:** 1

**Flame:** 0

**Reactivity:** 0

**Special:** 0

**pH:** 5-6/Neutral

**Fragrance:** N/A

**Caution:** Keep out of reach of children and pets. Harmful if swallowed. Carpets & Rugs become slippery when wet. Use care when descending stairs or walking from carpet to hard surfaces.

Protect from freezing. Store in a cool, dry area, below 120 degrees F.

**RECYCLE!** Before disposing, check with local, state and federal regulations for compliance.

### Questions?

Contact Core Products Co., Inc.  
401 Industrial Rd., Canton, TX 75103  
800.825.2673 or [www.coreproductsco.com](http://www.coreproductsco.com)

