

T800

FULLY RUGGED 8.1" TABLET

Large 8.1" LumiBond® sunlight readable display
 Quad-core Intel® Pentium® N3530 2.16 GHz processor
 MIL-STD 810G and IP65 certified
 802.11ac next generation WiFi
 Unique SnapBack add-ons
 Front HD camera / rear 8MP auto focus camera
 Industry-leading bumper-to-bumper warranty
 Optional integrated 4G LTE broadband wireless²



Large 8.1" Display.

The T800 features a large 8.1" display that utilizes our revolutionary LumiBond technology to achieve a display that is more readable, and offers better contrast and more crisp colors than any other rugged tablet display. By bonding the display glass with the touch panel and LCD, we've created a single pane that is both more durable and readable.




SnapBack Add-ons.

We designed the T800 for expandability with our unique SnapBack add-ons. Integrated as an extension to the T800, you can add an extended battery or 2-in-1 SmartCard and RFID reader, or 2-in-1 SmartCard and Magnetic Stripe reader. They easily snap right on or off, no tools necessary.



Blazing Fast Wireless.

Every T800 includes the latest 802.11ac WiFi for data transfer speeds up to 3X faster than 802.11n products. Designed to be used in the field, your T800 can be configured with 4G LTE cellular data with an auto tunable 8-band antenna capable of quickly switching between bands.



Quad-Core Performance.

Inside the T800, we packed an incredible amount of power and technology. Built with the latest Quad-core Intel Pentium N3530 2.16 GHz processor, the T800 can remain running at near full speed when other tablets processors would otherwise throttle back performance to avoid overheating.



Vehicle Ready.

For vehicle deployments, the T800 can be configured with triple pass-through antenna ports allowing you to simultaneously connect high-gain GPS, WWAN and WLAN roof mounted antennas.



Bumper-to-Bumper Warranty.

Accidents happen. Only Getac offers bumper-to-bumper coverage standard on every T800 rugged tablet.

GETAC T800

Specifications



Getac

GetacSales_US@getac.com
www.getac.com
949.681.2900

Getac, Inc.
400 Exchange, Ste 100
Irvine, CA 92602

| | | | |
|------------------------------|---|-----------------------------------|--|
| Ruggedness | MIL-STD 810G and IP65 certified Vibration, drop, temperature & humidity resistant Optional ANSI/ISA 12.12.01* | Temperature | Operating Temp: -5.8° F to 122° F / -21°C to 50°C Storage Temp: -40°F to 160°F / -40°C to 71°C Humidity: 95% RH, non-condensing |
| Operating System | Windows® 7 Professional Windows 8.1 Professional | I/O Interfaces | DC in x 1 USB 3.0 x 1 Docking port x 1 Headphone out/Mic-in Combo x 1 Micro HDMI x 1 Optional RF antenna pass-through for GPS, WLAN and WWAN |
| CPU | Quad-core Intel® Pentium® N3530 2.16 GHz Processor (up to 2.58 GHz) 2MB Cache | Expansion Slot⁵ | Optional 1D/2D imager barcode reader, or Optional 10/100/1000 base-T Ethernet, or Optional Serial port (RS232), or Optional MicroSD |
| Memory | 4GB DDR3L | Snapback Add-ons | External battery (2100mAh) SmartCard & RFID reader SmartCard & Magnetic Stripe Card reader |
| Storage | 64GB SSD ¹ Optional 128GB or 256GB SSD ¹ | Warranty | 3 Year bumper-to-bumper warranty standard ⁶ |
| VGA Controller | Intel HD Graphics | | |
| Display | 8.1" TFT LCD HD (1280x800) 600 NITS LumiBond® sunlight readable LED display with multi-touch technology Optional digitizer | | |
| Communications | 802.11ac WLAN Bluetooth (v4.0 class 1) Optional GPS Optional 4G LTE mobile broadband ² | | |
| Camera | HD webcam x 1 8MP rear camera | | |
| Power | AC Adapter (65W, 100-240VAC, 50/60Hz) Li-Ion battery (4200mAh) (up to 8 hours of battery life) ³ | | |
| Dimensions and Weight | 8.9" x 5.9" x 0.9" (227 x 151 x 24mm) 1.94lbs (0.88kg) ⁴ | | |

Specification subject to change without notice.

* ANSI/ISA 12.12.01 Certification is without snapback accessory.

¹ For storage, 1GB = 1 billion bytes; actual formatted capacity less.

² Data plan required. Cellular data is available in the US on Verizon Wireless and AT&T networks. LTE is available in select markets. Check with your carrier for details. 4G LTE configuration must be ordered at time of purchase.

³ Battery life testing conducted under BatteryMark 4.0.1. Battery performance will vary based on software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. As with all batteries, maximum capacity decreases with time and use and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.

⁴ Weight varies by configuration and manufacturing process.

⁵ Expansion slot factory installed and limited to one option. Subject to minimum purchase requirements.

⁶ 3 year bumper-to-bumper limited warranty standard. For warranty terms and conditions visit www.getac.com

Copyright 2015, Getac, All Rights Reserved. Getac and the Getac logo are either registered trademarks or trademarks of Getac Technology Corporation in the United States and/or other countries. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and in other countries. All other trademarks are the property of their respective owners.