

Fujitsu recommends Windows 10 Pro.

Data Sheet

FUJITSU Tablet STYLISTIC Q665

2 in 1 Uniting Mobility and Power

The FUJITSU Tablet STYLISTIC Q665 is a 2 in 1 that provides the perfect balance of mobility and performance. It is designed to support go-anywhere lifestyles with a fanless, compact design and a toughened glass that protects the 29.5 cm (11.6-inch) anti-glare display on hectic days. Flexible input options like keyboard, pen and touch enable you to handle your business routines most efficiently, the way you prefer. Because productivity is key, it is backed by Ultrabook™ performance, a full-day battery runtime and optional 4G/LTE, while enterprise-grade security options keep your data safe. An attachable keyboard and cradle enhance usability.



2 in 1 design

Enjoy the perfect balance between the mobility of a tablet and the performance of an Ultrabook™. Completely quiet for maximum comfort. An attachable keyboard transforms the tablet into a notebook.

- Fanless, thin and light

Flexible working

Empowers a fully digital office, from note-taking to audit-proof signatures - in tablet or notebook mode.

- Toughened, anti-glare display with pen and touch input, as well as via the keyboard.



Made for mobility

Keeps you going whenever you want and wherever you are.

- Full-day battery runtime with fast charging functionality. Combined with on-the-go connectivity like 4G/LTE with GPS, and NFC. Intel® Wireless Display support.

Powerful manageability and security

Stay in control of your device and your data, wherever you are.

- Optional embedded fingerprint sensor, SmartCard reader, contactless NFC-based SmartCard, TPM, Intel® vPro™ technology, encrypted drives and Kensington® lock slot.



Best office comfort

Enabling shared work spaces and a desktop-like experience.

- Common cradle with STYLISTIC Q555 and Q775.



Components

Base unit	STYLISTIC Q665
Operating systems	
Operating system	Windows 8.1 Pro 64-bit
Operating system compatible	Windows 10 Pro (license + recovery media only) Windows 7
Processor	
	Intel® Core™ processor M-5Y71 (1.2 GHz, up to 2.9 GHz)
	Intel® Core™ processor M-5Y31 (0.9 GHz, up to 2.4 GHz)
	Intel® Core™ processor M-5Y10c (0.8 GHz, up to 1.9 GHz) *
	*Processor only for retail, SMB, education and government
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes
Hard disk drives (internal)	
	SSD SATA III, 512 GB, M.2 module, OPAL capable
	SSD SATA III, 256 GB, M.2 module, OPAL capable
	SSD SATA III, 128 GB, M.2 module, OPAL capable
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6GBit/s)
Interface add on cards/components (optional)	
3G/4G (optional)	UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s) LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Wireless-N 7265 2x2 b/g/n with integrated Bluetooth 4.0 Import and usage according to country-specific regulations. Intel® Dual Band Wireless-N 7265 2x2 ac with integrated Bluetooth 4.0 Import and usage according to country-specific regulations.
Display	29.5 cm (11.6-inch), LED backlight, (Full HD), Anti-glare dual digitizer, compound, 1,920 x 1,080 pixel, 1000:1, 300 cd/m²
Multimedia	
Camera	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

Base unit

Base unit	STYLISTIC Q665
General system information	
Chipset	Integrated in CPU
Chipset notes	Supports iAMT 10.0 Intel® vPro™ technology dependent on processor type
Supported capacity RAM	8 GB
Supported capacity RAM (min.)	4 GB
Supported capacity RAM (max.)	8 GB
Memory slots	LPDDR3 (1600 MHz)
LAN	Built-in 10/100/1,000 MBit/s Intel® 218LM
LAN notes	vPro: Intel I218LM, non-vPro: Intel I218V
BIOS features	BIOS based on Phoenix SecureCore
Audio type	On board

General system information

Audio codec	Realtek ALC283
Audio features	Built-in array microphone, 2x built-in speakers (stereo)
Display	
Display	29.5 cm (11.6-inch), (Full HD), Anti-glare touchscreen, 1,920 x 1,080 pixel, 1000:1, 300 cd/m ²
Display notes	ISO 9241-307 - Pixel class II Viewing angle: Left/Right 89°, Top 89°, Bottom 89°; 25ms response time; Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor Compass
Aspect ratio	16:9
Brightness - typical	300 cd/m ²
Contrast - typical	1000:1
Digitizer / Touch Technology	Wacom Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	178°/178°

Graphics

Base unit	STYLISTIC Q665
TFT resolution (HDMI)	up to 4,096 × 2,160
TFT resolution (VGA)	1,920 x 1,080 pixel
Graphics brand name	Intel® HD Graphics 5300
Graphics features	3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system

Interfaces

DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2 (digital)
USB 2.0 total	1
USB 3.1 Gen1 (USB 3.0) total	1
VGA	1 (via optional cradle or optional conversion cable)
micro HDMI	1
Ethernet (RJ-45)	1 (via optional cradle or optional conversion cable)
Memory card slots	1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 128GB
SmartCard slot	optional
SIM card slot	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)
Interface Module notes	LAN, HDMI, DisplayPort and VGA available via conversion cable.

Cradle (Charging or Functional)

DC-in	1 (19V)
Audio: line-in	1
Audio: line-out	1
USB 2.0 total	3 (if used with STYLISTIC Q555)
USB 3.1 Gen1 (USB 3.0) total	3 (if used with STYLISTIC Q736/Q616/Q775/Q665)
DisplayPort	1
VGA	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.

Wireless technologies

Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN
Bluetooth	Bluetooth 4.0 LE
WLAN notes	Import and usage according to country-specific regulations.
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.
NFC	optional
GPS	Embedded in 3G/4G module if configured with WWAN

Power supply

AC adapter	19 V / 65 W (3.42 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Lithium Polymer battery 3-cell, 38 Wh
Runtime 1st battery	Up to 11:50 h / 11:10 h (Productivity Workload MobileMark® 2014/2012)
Battery charging time	~ 120 min.
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.

Dimensions / Weight / Environmental

Dimensions (W x D x H)	294.8 x 192.4 x 11.9 mm (Standard Shell) / 15.0 mm (SmartCard Shell) 11.6 x 7.57 x 0.47 (Standard Shell) / 0.59 (SmartCard Shell) inch
Weight	From 0.753 kg
Weight (lbs)	From 1.66 lbs
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	Running: 5 - 35 °C; Packed -10 - 60 °C
Operating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)

Compliance

Product	STYLISTIC Q665
Germany	GS
Europe	CE! EN 60950
Global	ENERGY STAR® 6.1 EPEAT® Silver (dedicated regions) IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates

Additional Software

Additional software (preinstalled)	Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Display Manager Fujitsu DeskUpdate (driver and utility tool) ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8.1: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software) Recovery DVD for Windows®

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 10.0 (depending on CPU)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability

Security

Physical Security	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2) EraseDisk (optional)
User Security	Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Smartcard reader (optional) SystemLock BIOS SmartCard security








Warranty

Warranty period	2 years (for countries within EMEA)
Warranty type	Collect & Return Service / Bring-in Service (depending on country)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Product Support Services - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://ts.fujitsu.com/Supportservice

**Notebookcheck.com**

Notebookcheck test result: good,
FUJITSU Tablet STYLISTIC Q665,
Notebookcheck.com - Germany
December 2015

Recommended Accessories

Cradle STYLISTIC Q Series		Boosted efficiency, desktop experience, flexibility, expandability - these are only some of the benefits of the cradle for the STYLISTIC Q Series	Order Code: S26391-F1467-L100
Shoulder Strap STYLISTIC Q Series		The FUJITSU Shoulder Strap is the perfect addition to your STYLISTIC Q Series SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort. (Picture shows a STYLISTIC for illustration only.)	Order Code: S26391-F1193-L13
Folio Case STYLISTIC Q6		The Folio Case for the STYLISTIC Q6 is a thin, tailored protective sleeve for your Fujitsu tablet. It keeps the device safe from damage on the go, and brings a touch of style to your daily work. It can even be used as a stand if you need to display a presentation or watch a clip.	Order Code: S26391-F1193-L50
TPU Cover STYLISTIC Q6		The TPU Cover for the STYLISTIC Q6 with Handstrap is a ruggedized and lightweight protective cover ideal for use with your tablet. Simply snap the tablet into the edges of the TPU Case and you're ready to travel with one-handed comfort	Order Code: S26391-F1193-L51
Micro HDMI to HDMI Conversion Cable		The Fujitsu Micro HDMI to HDMI Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has an HDMI connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.	Order Code: S26391-F6055-L231
USB to VGA Conversion Cable		The FUJITSU USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)	Order Code: S26391-F1418-L810
LAN Conversion Cable (USB to LAN) for STYLISTIC Q		The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Q Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)	Order Code: S26391-F1418-L840
Slim Keyboard STYLISTIC Q6 Series		Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's slim keyboard for the STYLISTIC Q6 Series.	S26391-F1293-L2xx** (**country specific version)

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet STYLISTIC Q665, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Tablet STYLISTIC Q665, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2017 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Glacier Computer, LLC

John Geary

603.882.1560 x 3213

johng@glaciercomputer.com

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2017 Fujitsu Technology Solutions GmbH