Getac

For more information contact:
Glacier Computer, LLC
John Geary
603.882.1560 x3213
johng@glaciercomputer.com

V110

FULLY RUGGED
11.6" CONVERTIBLE

Large 11.6" IPS LumiBond® 2.0 sunlight display

6th generation Intel® Core™ processor

Dual hot-swappable battery design

Intel HD graphics 520

Full-size 88 key backlit keyboard

Optional integrated 4G LTE broadband wireless

802.11ac next generation WiFi

MIL-STD 810G and IP65 certified

Industry-leading bumper-to-bumper warranty

6th Gen Intel Core Processor.

With the latest Intel Core i5 or Intel Core i7 processor, the V110 rugged convertible was designed for speed and efficiency. Clocking in at up to 2.6GHz and with Turbo Boost speeds up to 3.4GHz, the V110 has the power needed for the most demanding tasks.

Multi-Level Security

V110 provides TPM 2.0 for powerful anti-tampering protection. Combined with fingerprint scanner, smart card reader, RFID, optional Absolute™ DDS and support for the latest Windows 10 security features, the F110 delivers industry-leading protection for your data and device.

Large 11.6" IPS Display.

The V110 features a large 11.6" IPS display that utilizes our revolutionary LumiBond 2.0 technology to achieve a display that is more readable, and offers better contrast and more crisp colors than any other rugged laptop display. The 11.6" widescreen display is ideally suited providing plenty of real estate to run Windows and your apps on.

Dual Hot-Swappable Batteries.

The V110's unique, hot-swappable dual-battery design allows for potentially infinite, uninterrupted battery life. This enables you to remove one of the two rechargeable batteries and replace it with a fresh battery without ever shutting down apps or your Windows OS.

Full-Size 88 Key Backlit Keyboard.

Unlike our competitors' products that have small keyboards with small keys, the V110 features a full-sized 88-key waterproof membrane backlit keyboard with standard-sized keys. The V110 lets you type the way you're used to typing.

Bumper-to-Bumper Warranty.

Accidents happen. Only Getac offers bumper-to-bumper coverage standard on every V110 rugged convertible.

GETAC V110

Specifications

GetacSales_US@getac.com
www.getac.com
949.681.2900

Getac, Inc.
400 Exchange, Ste 100
Irvine, CA 92602

Ruggedness	MIL-STD 810G and IP65 certified MIL-STD 461F ready[2] Optional ANSI/ISA 12.12.01 Vibration, drop, temperature & humidity resistant Optional salt fog feature
Operating System	Windows® 10 Professional (available Windows 7 Professional downgrade option)
CPU	Intel® Core™ i7-6600U vPro™ 2.6GHz processor with Turbo Boost Technology up to 3.4GHz 4MB Intel Smart Cache Intel Core i7-6500U 2.5GHz processor with Turbo Boost Technology up to 3.1GHz 4MB Intel Smart Cache Intel Core i5-6300U vPro™ 2.4GHz processor with Turbo Boost Technology up to 3.0GHz 3MB Intel Smart Cache Intel Core i5-6200U 2.3GHz processor with Turbo Boost Technology up to 2.8GHz 3MB Intel Smart Cache
Memory	4GB DDR4 expandable to 16GB[3]
Storage	Solid State OPAL 2.0 128GB / 256GB / 512GB / 1TB[†]
VGA Controller	Intel HD Graphics 520
Display	11.6" IPS HD (1366x768) 800 NITs LumiBond® 2.0 sunlight readable display with multi-touch technology Optional digitizer
Keyboard	Waterproof backlit mechanical membrane keyboard Optional waterproof rubber keyboard
Expansion	Smart card reader x 1 Express Card 54 x 1
Communications	Intel Dual Band Wireless-AC 8260, 802.11ac 10/100/1000 base-T Ethernet Bluetooth (v4.2) Optional discrete GPS Optional 4G LTE multi-carrier mobile broadband; XLTE Ready[1]

Security	Intel vPro™ Technology (per CPU options) TPM 2.0 Cable lock slot NIST BIOS compliant Optional 13.56MHz RFID/NFC contactless smart card reader Optional fingerprint reader Optional Absolute™ DDS software
Pointing Device	Touchscreen: Capacitive multi-touch screen Optional dual mode touchscreen (multi-touch and digitizer) Touchpad: Glide touchpad with scroll bar
Webcam	FHD webcam x 1 Optional 8MP rear camera x1
Power	AC Adapter (65W, 100-240VAC, 50/60Hz) Hot swappable Dual Li-Ion battery (2100mAh) x 2 (up to 13 hours of battery life)[4]
Dimensions and Weight	11.77" x 8.78" x 1.34" (299 x 223 x 34mm) 4.36lbs (1.98Kg)[††]
Temperature	Operating Temp: -5.8° F to 140° F / -21°C to 60°C Storage Temp: -40°F to 160°F / -40°C to 71°C Humidity: 95% RH, non-condensing
I/O Interfaces	DC in x 1 USB 3.0 x 2 USB 2.0 x 1 Network (RJ-45) x 1 Headphone out/Mic-in Combo x 1 HDMI x 1 Serial port (RS-232) x 1 Docking connector (24-pin) x 1 Optional RF antenna pass-through for GPS, WLAN and WWAN
Warranty	3 Year bumper-to-bumper warranty standard[‡]