

ERADI-FLO 1800-I

Get the Job Done with This 240 Volt 1,800 Watt Industrial Electric Heater

This industrial electric heater is ideal for **killing bed bugs**, drying out moisture, curing paint, warming a construction site, etc.

Features 1,800 watts, this heater requires one 240-volt 10-amp circuit for power.

Lightweight, easy to transport, and features a max temperature of 68°C.

Looking for an easy-to-transport industrial electric heater? The ER1800-I heater is enough to get the job done. Ideal for bed bug eradication, various commercial and industrial applications, from construction site heating to restoration, the ER1800-I is as unique as it is versatile. Capable of utilizing the power right on site, this electric heater reaches a maximum temperature of 68°C and produces upwards of 6,150 BTUs.

Specifications:

- 1,800 watt heater
- Compatible with all 240-volt international plugs
- Requires one 240V 10-amp circuit
- Draws 7.5 amps at 240-volts
- 6,150 BTU's
- Fan speed 200 CFM
- Maximum temperature: 68°C
- Dimensions: 394 mm x 406 mm x 260 mm
- Weight: 7.3 kg
- CE Mark
- 2-Year Warranty



AC Input Module





Note: Room size and insulation quality will determine the number of ER1800-I heaters required to successfully eradicate bed bugs.

NOTE: A single ER1800-I is not enough to kill bed bugs in an average size room.

Colorado Tri-Flo Systems, LLC manufactures the Eradi-Flo line of bed bug heaters in Longmont, Colorado USA. Call us to learn more about how we can solve your bed bug issues and drying applications, save money, and make you more profitable with our proactive solutions.

Eradi-Flo heaters are safe, effective, environmentally friendly, and bear the CE Mark. Using airflow technology our heaters deliver the heated airflow necessary to kill bed bugs and other drying applications.

Features	Benefits
Metal construction	Durability for commercial use
Dual airflow ports	Doubles the output flow of heated air
Electric heat	Cheaper and safer than propane and kerosene
Maintains low humidity	Provides dry heat
Uses any international 240-volt plug	Runs using the power source on site
Only one outlet (circuit) required per heater	Put the heater where you need it
Portable and easy to move	Your customers can use it

Eradi-Flo Specifications								
Model	Plug Type	Rated Voltage (Vac)	Rated Current (Aac)	Nominal Heat Generated BTU/hr	Fan CFM*	Maximum Temp	Dimensions	Weight
ER1800-I	All Intl. plugs 	240	7.5 amps	6,150	200	68°C	394mm x 406mm x 260mm	7.3 kg
ER5000-I	All Intl. plugs 	240	20.8 amps 10.4 amps each circuit	17,100	800	68°C	560mm x 566mm x 400mm	15 kg

* Fan volumetric flow reduced at 50Hz by 5% to 20% depending on model and operating conditions

