

SECTION - 1

SAFETY DATA SHEET

Unbelievable!® Rid'z Odor Super Concentrate

Revision Date

12/21/2015

1 - 3%

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Unbelievable!® Rid'z Odor Super Concentrate

ITEM UKOs

Red Hot Cinnamon, Dreamcicle Orange, Wild Wild Cherry, Desert Rain, Island Floral, Applecious, Lemon Drop,

French Vanilla Crème, Spiced Green Tea, Mango Tango, Lavender, Bamboo, Honey Suckle

PRODUCT USE

COMPANY NAME Core Products Co., Inc. Office (800) 825-2673

401 Industrial Rd Fax (903) 567-1346

Canton TX 75103 Web www.coreproductsco.com

EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300

HAZARDS INFORMATION SECTION - 2

Health Hazards EYES-Categor

Alcohol Ethoxylate

Irritant (eye)

WARNING Causes serious eye irritation

May cause skin irritation, May be harmful if swallowed, Avoid eye or skin contact, and inhalation of mist, Use personal

protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

Alcohols, C9-11, ethoxylated

SECTION - 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret) CAS# **IMPURITIES PERCENT CHEMICAL NAME COMMON NAME AND SYNONYMS**

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists seek medical aid

68439-46-3

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation

occurs or persists seek medical aid

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Can cause serious eye irritation, redness, tearing, or pain, by direct product contact or mists Eyes

Skin May cause skin irritation

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, Minimal acute toxicity if swallowed, Symptoms may include, nausea, diarrhea, vomiting,

abdominal pain

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Causes serious eye irritation, redness, tearing, or pain, by direct product contact or mists Eyes

Skin May cause skin irritation, redness, drying or cracking Inhalation Spray mist may cause irritation, to respiratory tract

May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Slight acute toxicity if Ingestion

swallowed, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

SECTION - 5 **FIRE FIGHTING MEASURES**

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents, strong bases, strong acids

Explosion Hazards Not applicable Static Discharge Not applicable **Mechanical Impact** Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

Revision Date

12/21/2015

SECTION - 6 **ACCIDENTAL RELEASE MEASURES**

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment Use rags or towels to prevent spill from spreading

Clean Up Procedures Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION - 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of mist, May be harmful if

swallowed, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before

discarding

Storage KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible

materials, Stored above 4.4°C (40°F) and below 49°C (120°F)

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases, strong acids

SECTION - 8 **EXPOSURE CONTROLS / PERSONAL PROTECTION**

EXPOSURE LIMITS					Significant
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
Alcohol Ethoxylate	None Established				

PERSONAL PROTECTIVE EQUIPMENT







Chemical Gloves




(Recommended)

0

0

R



HMIS HAZARD RATINGS Health **Flammability** Reactivity **Personal Protection**

SECTION - 9	PHYSICAL AND CHEMICAL PROPERTIES		
Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.002
Flammable Limits	ND	pH (± 0.3)	7.0 - 7.5
Auto-Ignition Temp	o. ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear (Color varies with fragrance)	Boiling Point	100°C (212°F)
Odor	Pleasant	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	< 97%	Partition Coefficient	ND
VOC	0.007% @ 1:256	Molecular Weight (g/mol)	~ 29.07
LVP-VOC	0.00%	Decomposition Temperature	ND
SECTION = 10	STABILITY AND REACTIVITY		

Reactivity (Specific Test Data) None available

Chemical Stability Stable when stored above 4.4°C (40°F) and below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents, strong bases, strong acids

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes SECTION - 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Can cause serious eye irritation, redness, tearing, or pain, by direct product contact or mists

Skin May cause skin irritation

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, Minimal acute toxicity if swallowed, Symptoms may include, nausea, diarrhea, vomiting,

abdominal pain

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, or pain, by direct product contact or mists

Skin May cause skin irritation, redness, drying or cracking Inhalation Spray mist may cause irritation, to respiratory tract

Ingestion May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus, Slight acute toxicity if

swallowed, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

Acute Tox Calculated Oral: 21,897 mg/kg Dermal: 52,274 mg/kg Inhaled: 207.3 mg/L

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

Additional Info

SECTION - 12

Target Organs Respiratory Tract, Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, respiratory, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u> <u>NTP</u> <u>ACGIH</u> <u>IARC</u> <u>GHS Category</u>

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

<u>CHEMICAL NAME</u> <u>Germ Cell Mutagenicity</u> <u>Toxic to Reproduction</u>

None Listed NA NA

COMPONENTS ACUTE TOXICITY

 CHEMICAL NAME
 Type
 Form
 Subject
 Result Value
 Exposure Time
 GHS Category

 Alcohol Ethoxylate
 LD50
 Oral
 Rat
 1,400 mg/kg
 4 (>300, ≤2000 mg/kg)

 LD50
 Dermal
 Rabbit
 5,000 mg/kg
 (>2000 mg/kg)

LD50 Dermal Rabbit 5,000 mg/kg

ECOLOGICAL INFORMATION

CHEMICAL NAME Result Value Exposure Time Type Subject Subject Latin **GHS Category** Alcohol Ethoxylate LC50 Fathead Minnow (Pimephales promelas) 8.5 mg/L 96 Hours 2 (>1, ≤10 mg/L) EC50 Water Flea (Daphnia magna) 5.3 mg/L 48 Hours 2 (>1, ≤10 mg/L)

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects Harmful to aquatic life with long lasting effects

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill.

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

<u>UN Number</u> <u>Proper Shipping Name</u> <u>n.o.s. (Chemicals) or "Limits"</u>

Not Regulated Non Regulated Material

<u>Hazard Class</u> <u>Packing Group</u> <u>Label Codes</u> <u>Reportable Quantity (lbs)</u> <u>Response</u> <u>Marine Pollutant</u> <u>Hazard Label</u> <u>Secondary</u>

None None None 128 No

Additional Info:

rage 4 or 4			Olibe	iic vabic.	o itiu z	- Outl	Super	<i>,</i>	ciitiate				revision r	Jaco	12/21/2013
SECTION - 15	REGULATORY IN	FORMATION	NC												
<u>TSCA</u>															
CHEMICAL NAME		Sec 8(b)	Inventory	Se	ec 8(d) H	ealth A	nd Safety		Se	c 4(a) Che	emical Test	Rules	Sec 12	(b) Expo	rt Notification
Alcohol Ethoxylate		Y	'es												
REPORTABLE QUAN	ITITIES		Extremely	Hazardous	;		Reportab	le Qu	antity	Emissio	n Reportin	ıg			
CHEMICAL NAME		EPCRA TP	Q Sec 302	EPCRA	RQ Sec	304	CERCLA	RQ S	ec 103	TRI	Sec 313	R	CRA Code	RM	P TQ Sec 112
None Listed															
SARA		Se	ection 311	I					Sectio	n 311 / 3	312 Haza	rds			
CHEMICAL NAME		Hazard	dous Che	mical		Acute		Cł	ronic	F	lammable	е	Pressure		Reactive
Alcohol Ethoxylate			Yes			Yes									
RIGHT TO KNOW							STA	TE							
CHEMICAL NAME		CA	СТ	FL	IL	LA	, N	J	NY	PA	MI	MN	MA	RI	WI
None Listed															
<u>CALIFORNIA</u>				WARNIN	NG! Thi	is prod	duct con	tain	s chemi	icals kno	own to th	e state	of Califor	nia to d	ause:
CHEMICAL NAME		CAS#		Birth De	efects		Repro	ducti	ve Harr	n	Carcir	nogen		Develo	pmental
None Listed															
CLEAN AIR WATER	<u>ACTS</u>			Clean	Air Ac	ts						Clean \	Nater Act	s	
CHEMICAL NAME		CAS#		HAP		Ozor	ne Class	1	Ozon	e Class	2	HS	PI	•	TP
None Listed															
INTERNATIONAL RE	GULATIONS -	The compo	nents of t	his produ	ct are li	sted o	n the che	emica	al invent	ories of	the follow	ing cour	ntries:		
CHEMICAL NAME		Aust	ralia	Ca	nada	E	urope (I	EINE	CS)	Japa	an	K	Corea		UK
Alcohol Ethoxylate		Ye	s	Y	'es		Ye	s		Ye	s		Yes		Yes
WHMIS Classificatio	<u>1</u>														
CHEMICAL NAME			DSL	Class	Desc	ription	l								
None Listed															
SECTION - 16 C	THER INFORMAT	ION													

SDS	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Core Products Co., Inc.

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.